

Salamander, GN1/1

Model: E0UUBEBOMOA • Article no: 283017

Power supply: 230V 1Ph ~50/60Hz

This salamander features two independent cooking zones, each managed by its knob. It is heated via Incoloy armored heating elements, ensuring efficient and consistent performance. The cooking plate measures 575 x 400 mm and is compatible with GN 1/1 containers. The height of the grid can be adjusted to six different levels via a rack system, providing versatile cooking options. Heat control is managed with an energy regulator, providing precise temperature adjustments. The front, side, and back panels are removable for easy access and maintenance.

The unit is entirely constructed from 430 AISI stainless steel, offering durability and resistance to corrosion. It features a removable stainless steel drip tray for convenient cleaning. The chromium-plated steel grid includes a safety stop to prevent accidental falls. The unit features four rubber feet for tabletop installation and can also be wall-mounted using optional brackets.

MAIN FEATURES

- Two independent cooking zones
- Cooking plate size 575x400 mm
- Removable side and back panels
- Tabletop model but can be mounted on a wall with brackets (optional extra)

E0UUBEBOMOA, 283017
9/30/2026 3:50 PM

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

Certifications	CE
IP Class	X3

Dimensions & weight

Width, net (mm)	759
Depth, net (mm)	484
Height, net (mm)	404
Weight, net (kg)	32
Weight, gross (kg)	36
Volume, net (m3)	0.15

Electric

Voltage (V)	230
Phase	1
Has neutral	No
Frequency (Hz)	50, 60
Connection Cable, length (m)	1.5
Loading (kW)	4
Plug type	None


Functions & appearance

Adapted for container sizes	GN
Cooking surface, dimensions (mm)	575x400
Installation, type	Table Top Model, Wall Mounted Model
Noise level < (dB)	70


General data

Country of origin	Italy
Variant Model Number	E0UUBEBOMOA


FRONT




SIDE



BACK





1. Electrical connection
2. Holes for fastening appliance with wall brackets

LOIPART