

Cooking Top, Induction Dual Zone

Model: E1HAEEOMCS • Article no: 600879

Power supply: 230V 1Ph ~50-60Hz

A plug-in induction cooktop with a sealed, heavy-duty glass-ceramic cooking surface. Induction technology delivers rapid heat transfer directly to the pan, with no heat dispersed into the surrounding environment. A bridge function combines the two cooking zones into a single large cooking surface. Automatic pan detection ensures that power is only transferred when a pan is present. The model is designed for tabletop installation and features a glass touch display on top for maximum visibility, with a two-color user interface (white and red) for improved readability.

The timer function allows you to set the cooking time and automatically switches off the zone at the end of the set time. A self-diagnostic function alerts the user to any malfunction by displaying an error code. Induction air filters are easy to remove for monthly cleaning.

MAIN FEATURES

- The two induction zones can be combined
- Suitable for pots and pans with a diameter from 120 mm to 240 mm
- Rapid heat transfer directly to the pan; no heat is dispersed into the environment
- Cord and plug included
- IPX4 water protection
- Lock function

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

Certifications	CE
IP Class	X4

Dimensions & weight

Width, net (mm)	400
Depth, net (mm)	600
Height, net (mm)	152
Weight, net (kg)	19.5
Weight, gross (kg)	23
Volume, net (m3)	0.04
Volume, gross (m3)	0.05

Electric

Voltage (V)	230
Phase	1
Has neutral	No
Frequency (Hz)	50-60
Connection Cable, length (m)	1.5
Connector side	Bottom
Fuse (A)	16
Loading (kW)	3.5
Plug type	Schuko

Functions & appearance


Induction/ceramic zones, qty (pcs)	2
Installation, type	Table Top Model
Noise level < (dB)	70
Range, type	Induction

General data


Country of origin	France
Variant Model Number	E1HAEEOMCS

DIMENSIONS


FRONT




SIDE



TOP



BOTTOM



1. Electrical connection
2. Equipotential screw
3 Air outlet

LOIPART