

Wok Top, Induction

Model: E1HCEEOMCS • Article no: 600881

Power supply: 230V 1Ph ~50-60Hz

Plug-in induction wok for tabletop installations. The wok top has a 6 mm thick glass-ceramic wok bowl cuvette (290 mm diameter) for durability and easy cleaning.

The wok top has a rapid heat transfer directly to the pan; no heat is dispersed into the environment. The automatic pan detection transfers power only when the pan is present. On top, there is a glass touch display for maximum visibility, and the power level is adjustable from 1 to 10.

The timer function can be used to set the cooking time, switching off the zone automatically at the end of the time set.
It is designed for LiberoPro Duo function to regulate the LiberPro Point fan speed according to cooking intensity.

Note: wok pan and lid are available optional extras.

MAIN FEATURES

- Plug-in unit
- For tabletop installation
- Automatic pan detection
- Self-diagnostics function

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

Certifications	CE
IP Class	X4

Dimensions & weight

Width, net (mm)	400
Depth, net (mm)	600
Height, net (mm)	229
Weight, net (kg)	21
Weight, gross (kg)	25
Volume, net (m3)	0.05
Volume, gross (m3)	0.07

Electric

Voltage (V)	230
Phase	1
Has neutral	No
Frequency (Hz)	50-60
Connection Cable, length (m)	1.5
Connector side	Bottom
Fuse (A)	16
Loading (kW)	3.5
Plug type	Schuko

Functions & appearance

Induction/ceramic zones, qty (pcs)	1
Installation, type	Table Top Model
Noise level < (dB)	70
Range, type	Induction

General data

Country of origin	France
Variant Model Number	E1HCEEOMCS


Loipart AB (HQ), **Sweden**
Tel: +46 313 920 100, loipart@loipart.com

LMG Finland Oy, **Finland**
Tel: +358 40 664 6680, lmg@lmg.fi


Loipart USA Inc., **USA**
Tel: +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel: +65 670 99 100, contact@loipart.sg


FRONT



SIDE



TOP



1. Electrical connection
2. Equipotential screw
3. Air outlet

BOTTOM

