

Cooking Top, 4 Hot Plates

Model: E7ECEH4R • Article no: 371015M60

Power supply: 440V 3Ph ~50/60Hz

The 700XP series is designed to guarantee the highest level of performance, reliability, energy saving, safety standards and ergonomic operation.
This cooking top is to be mounted on an open base cupboard, bridging support or cantilever system.
Four hermetically sealed 2.6kW cast-iron plates on a one-piece pressed 1.5 mm stainless steel worktop. The design of the control knob system guarantees against water infiltration. Right-angled side edges allow flush-fitting joints between units, eliminating gaps and possible dirt traps.

MAIN FEATURES

- Four round 2.6kW cast-iron plates
- IPX 4 water protection
- All exterior panels in Stainless Steel with Scotch Brite finishing
- One-piece pressed 1.5 mm stainless steel worktop

E7ECEH4R, 371015M60
9/30/2026 3:42 PM

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

IP Class	X4

Dimensions & weight

Width, net (mm)	800
Depth, net (mm)	730
Height, net (mm)	250
Weight, net (kg)	40
Weight, gross (kg)	48
Volume, net (m3)	0.43
Volume, gross (m3)	0.56

Electric

Voltage (V)	440
Phase	3
Has neutral	No
Frequency (Hz)	50, 60
Loading (kW)	10.4
Max Amps in Phase (A)	16

Functions & appearance

Oven, included	No
Adapted for container sizes	None
Cast iron pan	Yes
Hot plate diameter (mm)	230
Hot plate, qty (pcs)	4
Hot plate, type	Round
Installation, type	Table Top Model
Noise level < (dB)	70
Range, type	Cast Iron

General data

Country of origin	Italy
Variant Model Number	E7ECEH4R

Included in delivery

- Rolling rack
- Front hand rail 216047


Loipart AB (HQ), **Sweden**
Tel: +46 313 920 100, loipart@loipart.com

LMG Finland Oy, **Finland**
Tel: +358 40 664 6680, lmg@lmg.fi


Loipart USA Inc., **USA**
Tel: +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel: +65 670 99 100, contact@loipart.sg


FRONT



SIDE



TOP



1. Electrical connection
2. Rolling rack
3. Front hand rail
4. Equipotential screw