

Griddle, Ribbed 800 mm, Brushed Chrome

Model: E7IIMDAOMEA • Article no: 371347SP

Power supply: 400V 3Ph ~50/60Hz

The griddle perfectly cooks meat, fish, or vegetables by placing the food directly on the cooking surface. The top has a service duct to facilitate installation and can be mounted on tabletops or open base cupboards. It is a one-piece pressed 1.5 mm stainless steel worktop with smooth, rounded corners.

The cooking surface is in mild steel with a full ribbed plate with a cooking plate of 12 mm thick special mild steel for even temperature distribution. The radiant heat allows thicker cuts of meat to be cooked perfectly—a safety thermostat with a temperature range adjustable from 120°C to 280°C. The rough brushed chrome surface is highly resistant to scratches and facilitates cleaning operations at the end of the day.

A removable splash guard in stainless steel covers the back and sides of the cooking surface and is dishwasher safe. The design of the control knobs and bezels guarantees against water infiltration. Exterior panels in stainless steel with Scotch Brite finish. Right-angled, laser-cut side edges for flush-fitting of units.

A full-length grease drainage channel and a large drain hole to drain excess grease and fat into a 1.5-liter grease collection drawer are on the front of the cooking surface.

MAIN FEATURES

- Surface in ribbed brushed chrome
- IPX4 water protection
- Fast heat-up time
- One piece pressed worktop in 1.5 mm stainless steel

E7IIMDAOMEA, 371347SP
9/30/2026 3:46 PM

Subject to change without notice.
For correct installation, refer to installation manual.

The grease collector drawer may be filled with water to facilitate cleaning.

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

Certifications	CE
IP Class	X4

Dimensions & weight

Width, net (mm)	800
Depth, net (mm)	730
Height, net (mm)	250
Weight, net (kg)	70
Weight, gross (kg)	73
Volume, net (m3)	0.14

Electric

Voltage (V)	400
Phase	3
Has neutral	No
Frequency (Hz)	50, 60
Connection Cable, length (m)	0
Fuse (A)	16
Loading (kW)	8.4


Functions & appearance

Griddle/Grill, type	Chrome Plated, Ribbed
Cooking surface, dimensions (mm)	730x540
Installation, type	Top Model
Noise level < (dB)	70
Temperature, max (°C)	280


General data

Country of origin	Italy
Variant Model Number	E7IIMDAOMEA


FRONT



SIDE



TOP



1. Fry tops
2. Open base (optional extra)
3. Electrical connection
4. Front hand rail (optional extra)
5. Equipotential screw

DETAIL MARINE FEET

(Included if stand is ordered)

