

Griddle, ribbed, 400mm

Model: E9IILDAOMCA • Article no: 391356

Power supply: 400V 3Ph ~50-60Hz

The griddle (fry top) perfectly cooks meat, fish, or vegetables by placing the food directly on the cooking surface. The top has a service duct to facilitate installation and can be mounted on table tops or open base cupboards.

The cooking surface is brushed chrome with a smooth plate. The plate is 15 mm thick, with special mild steel for even temperature distribution. The radiant heat allows thicker cuts of meat to be cooked perfectly. At the front, there is a safety thermostat with a temperature range adjustable from 110°C to 280°C.

The griddle is made in one one-piece pressed 2 mm stainless steel top with ribbed, rounded corners. The exterior panels are in stainless steel with a Scotch Brite finish.

A removable splash guard in stainless steel covers the back and sides of the cooking surface and is dishwasher safe—the design of the control knobs and bezels guarantees against water infiltration.

A full-length grease drainage channel and a large hole to drain excess grease and fat into a 1.5-liter drawer are on the front of the cooking surface. The drawer may be filled with water to facilitate cleaning.

MAIN FEATURES

- Ribbed brushed chrome cooking plate
- Cooking surface 330x700 mm
- Fast heat-up time to maximum temperature
- Main connections can be accessed via the rear of the unit
- One-piece pressed worktop in 2 mm stainless steel

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

Certifications	CE
IP Class	X5

Dimensions & weight

Width, net (mm)	400
Depth, net (mm)	930
Height, net (mm)	250
Weight, net (kg)	55
Weight, gross (kg)	60
Volume, net (m3)	0.09

Electric

Voltage (V)	400
Phase	3
Has neutral	No
Frequency (Hz)	50-60
Connection Cable, length (m)	0
Loading (kW)	7.5
Plug type	None

Functions & appearance

Griddle/Grill, type	Chrome Plated, Ribbed
Cooking surface, dimensions (mm)	330x700
Installation, type	Top Model
Noise level < (dB)	70
Range, type	Steel
Temperature, max (°C)	280

General data


Country of origin	Italy
Variant Model Number	E9IILDAOMCA

Included in delivery


1 of Scraper for ribbed plate fry tops - kit includes knife blades for both smooth and ribbed surface (206420).

DIMENSIONS


FRONT



SIDE



TOP



1. Electrical connection
2. Ventilation grid