

High-Speed Panini Grill, Speedelight (Flexible)

Model: HSG3RPRPE5 • Article no: 603947

Power supply: 230V 1Ph ~50Hz

SpeeDelight is the new professional solution for businesses on the move: it's a dual-plate appliance with the first and only combination of three direct and indirect cooking technologies. Serve delicious food fast: more than a snack; it's a complete taste experience.

The grill can be used to heat up and re-generate food such as; paninis, bagels, toasts, pizzas, quiches and many more.

The three cooking technologies contact, infrared radiation and microwaves provide perfectly cooked food heated to the core. The snacks are perfectly crispy outside and cooked just right inside. The plate settles with just the right pressure and opens automatically when your snack is ready. All guesswork is gone: the result is exactly what's on your menu, every time.

MAIN FEATURES

- Flexible Top Plate
- 3 cooking technologies: contact, infrared radiation and microwave
- Energy Saving Mode
- 8 programs that can be adjusted by the user
- Automatic lifting of the lid at the end of the cooking cycle
- Electronic control with digital 4.3" LED display
- Ergonomic handle

HSG3RPRPE5, 603947
9/30/2026 3:48 PM

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

Certifications	CE
IP Class	X4

Dimensions & weight

Width, net (mm)	370
Depth, net (mm)	683
Height, net (mm)	619
Weight, net (kg)	43.5
Weight, gross (kg)	54

Electric

Voltage (V)	230
Phase	1
Has neutral	No
Frequency (Hz)	50
Fuse (A)	13
Loading (kW)	2.7
Max Amps in Phase (A)	12
Plug type	Schuko

Functions & appearance

Cooking surface, dimensions (mm)	250 x 250
Installation, type	Table Top Model
Noise level < (dB)	70
Temperature, max (°C)	250

General data

Country of origin	Italy
Variant Model Number	HSG3RPRPE5

Other information

Top plate is ribbed.

Included in delivery

· 1 of Glass saver for SpeeDelight PNC 653527
· 1 of Cleaning brush for SpeeDelight PNC 653623
· 1 of Spatula for SpeeDelight PNC 653625

Loipart AB (HQ), **Sweden**
Tel: +46 313 920 100, loipart@loipart.com

LMG Finland Oy, **Finland**
Tel: +358 40 664 6680, lmg@lmg.fi

Loipart USA Inc., **USA**
Tel: +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel: +65 670 99 100, contact@loipart.sg

· 1 of Special scraper for SpeeDelight PNC 653690
· 1 of 4 rubber feet - Height = 26 mm for SpeeDelight PNC 653792

Loipart AB (HQ), **Sweden**
Tel: +46 313 920 100, loipart@loipart.com

LMG Finland Oy, **Finland**
Tel: +358 40 664 6680, lmg@lmg.fi


Loipart USA Inc., **USA**
Tel: +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel: +65 670 99 100, contact@loipart.sg


DIMENSIONS

Model: HSG3RP *Rev. 1*


FRONT




SIDE



TOP



OPERATING SPACE NEEDED



1. Electrical connection
2. Equipotential bonding

Note! It's mandatory to fix the appliance to the table.