

Braising Pan 20 L, Height Adjustable, El. Tilting

Model: VKF25-6M • Article no: FRB702040072M

Power supply: 440V 3Ph ~60Hz

The cast-iron frying table is carefully designed for perfect frying results. The casing is thermal-insulated and has a polished stainless steel exterior. Both the column and the counterbalanced lid is entirely made of polished stainless steel, and when the lid is closed, it can be used as an off-loading space or a working surface.

For an excellent heat transfer, the pan features powerful, embedded tubular heating elements which are supported by springs and stainless reflectors. The thermostats are placed in drilled holes in the frying pan to improve heating efficiency. Th model also features an electrical control to operate the tilting action.

The table is intended for bolting directly to the foundation. A stainless steel mounting frame is available as an optional extra.

MAIN FEATURES

- Sturdy and durable design
- Height adjustable column
- Electrical tilting
- Cast iron frying surface
- Stepless heat control
- Thermal-insulated
- High capacity
- Easy to maintain

VKF25-6M, FRB702040072M
9/30/2026 3:36 PM

Subject to change without notice.
For correct installation, refer to installation manual.

Technical data

Certifications & regulations

IP Class	54

Dimensions & weight

Width, net (mm)	700
Depth, net (mm)	753
Height, net (mm)	925
Weight, net (kg)	165
Weight, gross (kg)	180
Volume, net (m3)	0.47
Volume, gross (m3)	0.62

Electric

Voltage (V)	440
Phase	3
Has neutral	No
Frequency (Hz)	60
Connection Cable, length (m)	0
Fuse (A)	10
Loading (kW)	6
Plug type	None

Functions & appearance

Adjustable height	Yes
Capacity (L)	20
Cooking surface, dimensions (mm)	500x450x90
Adjustable height	Yes
Cast iron pan	Yes
Marine feet	No
Installation, type	Floor Model
Noise level < (dB)	70
Temperature, max (°C)	280
Tilting, type	Electric

General data

Loipart AB (HQ), **Sweden**
Tel: +46 313 920 100, loipart@loipart.com

LMG Finland Oy, **Finland**
Tel: +358 40 664 6680, lmg@lmg.fi

Loipart USA Inc., **USA**
Tel: +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel: +65 670 99 100, contact@loipart.sg

Country of origin	Sweden
Variant Model Number	VKF25-6M

Loipart AB (HQ), **Sweden**
Tel: +46 313 920 100, loipart@loipart.com


LMG Finland Oy, **Finland**
Tel: +358 40 664 6680, lmg@lmg.fi

Loipart USA Inc., **USA**
Tel: +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel: +65 670 99 100, contact@loipart.sg

DIMENSIONS

FRONT SIDE



1. Power switch
2. Thermostats with stepless temperature control
3. Indicator lamps
4. (4a, 4b). Power cable entry points (the electrical cables can be routed either from below through the column or from the rear of the column).

INSTALLATION OPTION

